







| Product Desc. No. | Weight | |
|---|---|----|
| | | g |
|  | PNP17T > 12mm (1/2") dia. x 38mm (1 1/2") long | 4 |
|  | PNP18T > 10mm (3/8") dia. X 38mm (1 1/2") long | 4 |
|  | PNP27T > 16mm (5/8") wide x 32mm (1 1/4") long | 4 |
|  | PNP28T > 22mm (7/8") wide x 42mm (1 5/8") long | 8 |
|  | PNP29T > 9mm (3/8") dia. x 32mm (1 1/4") long | 2 |
|  | PNP47 > Suits external track | 14 |



PNP102 > Compression flange, 8.4mm (5/16") dia. x 45mm (1 3/4") long

8



PNP103 > Compression flange, 9.8mm (3/8") dia. x 46mm (1 3/4") long

10



PNP104 > Compression flange, 11.6mm (1/2") dia. x 49mm (2") long

11



PNP140 > 12mm (15/32") wide x 31 (1 3/16") long

8



PNP141 > 13mm (1/2") wide x 31mm (1 3/16") long

10



PNP149 > Heavy duty, 22mm (7/8") wide x 63mm (2 1/2") long

25



PNP150 > Heavy duty, 11mm (7/16") dia. x 70mm (2 3/4") long

21



PNP201 > Compression flange, 8.5mm (5/16") dia. x 30mm (1 3/16") long

6



PNP203 > Stainless steel insert, 22mm (7/8") wide x 60mm (2 1/8") long

28



PNP204 > Compression flange, stainless steel insert, 9mm (3/8") dia. x 60mm (2 1/8") long

43



PNP302 > Stainless steel insert, 8mm (5/16") dia. x 45mm (1 3/4") long

13



PNP303 > Stainless steel insert, 9.5mm (3/8") dia. x 50mm (2") long

15

Product Desc.
No.

Weight

g



PNP25A > Leech line cleat

10








PNP375 > Headboard plates, 90mm x 75mm (3 1/2" x 3")





10



PNP376 > Headboard plates, 120mm x 100mm (4 3/4" x 4")

26

| Product Desc. No. | Weight | |
|---|--|-----|
| | | g |
|  | PNP83 > Suits battens up to 50mm (2") x 6mm (1/4") | 17 |
|  | PNP87 > Suits battens up to 16mm (5/8") x 4mm (5/32") | 9 |
|  | PNP105 > Suits battens up to 40mm (1 1/2") x 5mm (3/16") | 17 |
|  | PNP148 > Heavy duty. Suits battens up to 50mm (2") x 8mm (5/16") | 90 |
|  | PNP155 > Vernier adjuster, suits battens up to 22mm (7/8") x 10mm (3/8"), or 13mm (1/2") dia. | 148 |

| Product Desc. No. | Weight | | |
|--|--------------------|---|----|
| | | | g |
|  | PNP14 > | Twist-on, suits 3mm (1/8") dia. wire, 31mm (1 1/4") long | 5 |
|  | PNP14B > | Twist-on, suits 5.5mm (3/16") dia. wire, 37mm (1 1/2") long | 7 |
|  | PNP88A > | Piston, suits 6.4mm (1/4") dia. wire, 50mm (2") long | 8 |
|  | PNP88C > | Piston, suits 11.2mm (7/16") dia. wire, 75mm (3") long | 22 |